

CHRISTINE O. GREGOIRE
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

March 26, 1992

PAUL CRONAUER
PO BOX 282
PORT ANGELES WA 98362-0282

Re: Surface Water Application No. S 2-28412

Dear Mr. Cronauer:

We acknowledge receipt of your affidavit of publication of notice in connection with the above-numbered application.

The water codes require that no action be taken toward issuance of a permit earlier than thirty (30) days after the last date of publication. This period of time is allowed for filing any protests or objections. In some cases it is also necessary for us to await approval of the Departments of Fisheries and Wildlife before issuing permits.

A site investigation will be made by this office before we issue a permit decision. In light of our water right backlog, we estimate it will be about 18 months after receipt of your application before we are able to conduct the site investigation.

Sincerely,

A handwritten signature in cursive script that reads "Sheri Fox".

Sheri Fox
Water Resources

SF:ra(12B)

DO NOT FILM

CHRISTINE O. GREGOIRE
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

February 27, 1992

Paul Cronauer
Post Office Box 282
Port Angeles, Washington 98362-0282

Re: Surface Water Application No. S 2-28412

Dear Mr. Cronauer:

Your application for the appropriation of water has been assigned the above-referenced number. Please refer to this number in future correspondence.

Enclosed is a notice of your application which must be published once a week for two consecutive weeks in a qualified legal newspaper of general circulation in the County or Counties in which the storage, diversion, and use is to be made and in other newspapers as directed. A list of these newspapers in your county is enclosed. The applicant is responsible for the payment of the publication.

Please read the notice carefully to make sure it is correct. Should you find an error, please return the notice to our office for correction.

You should mail or deliver the enclosed notice to a newspaper regarding publication as soon as possible. When you receive the affidavit of publication from the newspaper, please forward it to this office promptly.


A site investigation will be made by this office before we issue a permit decision.

In light of our water right backlog, we estimate it will be about 18 months after receipt of your application before we are able to conduct the site investigation.

Sincerely,

Sheri Fox
Sheri Fox
Water Resources

SF:th



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

NOTICE OF APPLICATION TO APPROPRIATE PUBLIC WATERS

TAKE NOTICE:


That Paul Cronauer
of Port Angeles, Washington on February 25, 1992 under
Application No. S 228412 filed for permit to appropriate public waters, subject to existing rights,
from a unnamed Spring Tributary Headwater of Cooper Creek
in the amount of 0.93 cubic feet per second
each year, for Irrigation during irrigation season as needed year round

The source of the proposed appropriation is located within NW 1/4 NE 1/4

of Section 6, Township 30 N., Range 3 W W.M., in Clallam County.

Protests or objections to approval of this application must include a detailed statement of the basis for objections; protests must be accompanied by a two dollar (\$2.00) recording fee and filed with the Department of Ecology, at the address shown below, within thirty (30) days from

(Last date of publication to be entered above by publisher)



Dept of Ecology
2U-11
P O Box 47775
Olympia Wa 98504-7775

Post-It™ brand

Fax Transmittal Memo

To *Marie Peter*
 Company *Dept. of Ecology*
 Location

Fax # *(206) 586-6449* Telephone #
 Comments

7672 No. of Pages *3* Today's Date *10/11/93* Time *11:45*
 From *Paul P. Cronauer*
 Company
 Location Dept. Charge
 Fax # *(206) 452-2604* Telephone *(206) 457-6897*
 Original Disposition: ☐ Destroy ☐ Return ☐ Call for pickup

I've enclosed the hydraulic approval for pond dated 3/9/92 with no indication that water rights were required then one dated 4/26/93 saying they are needed.



DEPARTMENT OF FISHERIES

HYDRAULIC PROJECT

APPROVAL

R.C.W. 75.20.100

R.C.W. 75.20.103

March 9, 1992

DEPARTMENT OF FISHERIES
 General Administration Bldg.
 Olympia, Washington 98504
 (206) 753-6650

☒ (applicant should refer to this date in all correspondence)

PAGE 1 OF 1 PAGES

10 LAST NAME FIRST Cronauer, Paul		18 CONTACT PHONE(S) 457-6897	1 CONTROL NUMBER 00-52964-01
19 STREET OR RURAL ROUTE P.O. Box 282		7	8 9 WRIA 18.0017
CITY Port Angeles		STATE WA	14 17 ZIP 98362
12 WATER Cooper Creek		11 TYPE OF PROJECT Pond Excavation	
13 QUARTER SECTION TOWNSHIP RANGE(E-W) COUNTY SECTION NE 06 30N 03W Clallam		11 TYPE OF PROJECT Pond Excavation	
TIME LIMITATIONS: 5 THIS PROJECT MAY BEGIN Immediately		6 AND MUST BE COMPLETED BY September 30, 1992	

THIS APPROVAL IS TO BE AVAILABLE ON THE JOB SITE AT ALL TIMES AND ITS PROVISIONS FOLLOWED BY THE PERMITTEE AND OPERATOR PERFORMING THE WORK.

SEE IMPORTANT GENERAL PROVISIONS ON REVERSE SIDE OF APPROVAL

- The pond shall be no more than 75 feet in any surface dimension and shall have an average depth of at least ten (10) feet.
- The pond shall be at its closest point between 25 and 50 feet from the stream.
- The first 20 feet of inlet channel shall consist of four (4) inch diameter pipe. The outlet channel shall be an open ditch that is no more than three (3) feet wide and three (3) feet deep. The inlet and outlet shall be located on the stream no more than 100 feet apart.
- Spoils from this project shall not be disposed of on wetlands as defined in "Federal Manual for Identifying and Delineating Jurisdictional Wetlands, January 1989."
- This project shall be done in a way that does not cause increased turbidity or sedimentation of the stream.
- Equipment shall operate off mats to the extent necessary to prevent rutting of riparian or wetland areas.

LOCATION: Turn east off Sequim-Dungeness Way on first major access road past Jamestown Road intersection; about 200 yards to site.

nb
 cc: Henry-WDW

S

SEPA: Exempt, no non-exempt permits required.
 REGIONAL HABITAT MANAGER - Randy Johnson 457-2634
 PATROL - Schmidt
 APPLICANT - WILDLIFE - READER - PATROL - HAB. MGR. - WRIA

DEPARTMENT OF FISHERIES

Steve M. Keller, Sr. DIRECTOR



DEPARTMENT OF FISHERIES

HYDRAULIC PROJECT

APPROVAL


R.C.W. 75.20.100

R.C.W. 75.20.103

April 26, 1993

(applicant should refer to this date in all correspondence)

PAGE 1 OF 1 PAGES



DEPARTMENT OF FISHERIES
General Administration Bldg.
Olympia, Washington 98504
(206) 753-6650

10 LAST NAME Cronauer, Paul		FIRST	18 CONTACT PHONE(S) 457-6897		1 CONTROL NUMBER 00-54487-01	
19 STREET OR RURAL ROUTE P.O. Box 282				7	8	9 WRIA 18.0017
CITY Port Angeles		STATE WA	ZIP 98362		14	17
12 WATER Cooper Creek		TRIBUTARY TO Strait of Juan De Fuca		11 TYPE OF PROJECT Pond Connection		
13 QUARTER SECTION	SECTION NE 06	TOWNSHIP 30N	RANGE(E-W) 03W	COUNTY Clallam		

TIME LIMITATIONS:

5 THIS PROJECT MAY BEGIN
Immediately6 AND MUST BE COMPLETED BY
December 31, 1993

THIS APPROVAL IS TO BE AVAILABLE ON THE JOB SITE AT ALL TIMES AND ITS PROVISIONS FOLLOWED BY THE PERMITTEE AND OPERATOR PERFORMING THE WORK.

SEE IMPORTANT GENERAL PROVISIONS ON REVERSE SIDE OF APPROVAL

NOTE: This Hydraulic Project Approval (HPA) addresses establishment of inlet and outlet connections of an existing pond with Cooper Creek. The pond was constructed under HPA 00-52964-01.

1. The first 20 feet of inlet channel shall consist of four (4) inch diameter pipe. NOTE: The inlet cannot be established without a valid water right permit authorizing appropriation of surface water for this purpose from Cooper Creek.
2. Until this inlet is established, the current inlet shall be eliminated by removing the six (6) inch PVC pipe that discharges into the pond and entirely blocking the ADS pipe inlet on the south side of the access road.
3. The outlet channel shall be an open ditch that is no more than three (3) feet wide and three (3) feet deep.
4. The inlet and outlet shall be located on the stream no more than 100 feet apart.
5. This project shall be done in a way that does not cause increased turbidity or sedimentation of the stream.

LOCATION: Turn east off Sequim-Dungeness Way on the first major access road past the Jamestown Road intersection; go about 200 yards to the site.

cc: Henry, Washington Department of Wildlife
Clallam County Dept. of Community Development

SEPA: Exempt, no non-exempt permits required.
REGIONAL HABITAT MANAGER - Randy Johnson (206) 457-2634
PATROL - Schmidt (2)
APPLICANT - WILDLIFE - READER - PATROL - HAB. MGR. - WRIA

DEPARTMENT OF FISHERIES

Millan S. Deun / DIRECTOR



DEPARTMENT OF FISHERIES

HYDRAULIC PROJECT

APPROVAL

R.C.W. 75.20.100

R.C.W. 75.20.103

March 9, 1992

DEPARTMENT OF FISHERIES
General Administration Bldg.
Olympia, Washington 98504
(206) 753-6650

☒ (applicant should refer to this date in all correspondence)

PAGE 1 OF 1 PAGES

10 LAST NAME Cronauer, Paul		FIRST		18 CONTACT PHONE(S) 457-6897		1 CONTROL NUMBER 00-52967-01	
19 STREET OR RURAL ROUTE P.O. Box 282						7 8 9 WRIA 18.0017	
CITY Port Angeles		STATE WA		ZIP 98362		14 17	
12 WATER Unnamed		TRIBUTARY TO Cooper Creek				11 TYPE OF PROJECT Culvert	
13 QUARTER SECTION		TOWNSHIP		RANGE(E-W)		COUNTY	
NE 06		30N		03W		Clallam	
						Installation	

TIME LIMITATIONS:

☒ 5 THIS PROJECT MAY BEGIN
Immediately

☒ 6 AND MUST BE COMPLETED BY
September 30, 1992

THIS APPROVAL IS TO BE AVAILABLE ON THE JOB SITE AT ALL TIMES AND ITS PROVISIONS FOLLOWED BY THE PERMITTEE AND OPERATOR PERFORMING THE WORK.

SEE IMPORTANT GENERAL PROVISIONS ON REVERSE SIDE OF APPROVAL

1. The culvert shall be at least eight (8) inches in diameter.
2. The culvert shall be placed on the streambed at the outlet and shall be placed on a zero (0) percent (flat) gradient.

LOCATION: Turn east off Sequim-Dungeness Way on the first major access road past the Jamestown Road intersection. Go about 200 yards to the site.

nb

cc: Henry-WDW

SEPA: Exempt, no non-exempt permits required.
REGIONAL HABITAT MANAGER - Randy Johnson 457-2634
PATROL - Schmidt
APPLICANT - WILDLIFE - READER - PATROL - HAB. MGR. - WRIA

DEPARTMENT OF FISHERIES

Steve M. Kella, for

DIRECTOR

CURT SMITCH
Director



STATE OF WASHINGTON
DEPARTMENT OF WILDLIFE

600 Capitol Way North • Olympia, Washington 98501-1001 • (206) 753-5700

Date 20 APRIL 1992

Department of Ecology
Water Resources Section
Southwest Region
7272 Cleanwater Lane
Olympia, Washington 98504

Water Right Application # 5228412
Applied for by CRONAUER, PAUL
Water UNNAMED SPRING/COOPER CR.
WRIA # 18
Amount 0.93 cfs

The waters to be affected by this water right application:

- ☐ support anadromous fish
- ☒ support resident fish
- ☐ support no fish
- ☐ based on site-specific knowledge
- ☒ based on experience with this type of water

The Department of Wildlife has reviewed the above referenced water right application and submits the following recommendations:

- ☐ This is a second response after field investigation following a hold request.
- ☐ WDOE has adopted minimum flows and stream closures for this WRIA. Water rights should be subject to adopted minimum flows and closures as stated in WAC 173-5_____.
- ☐ Deny:
- ☐ Deny: According to WDW policy (POL-3200 5. Diversion From Very Small Streams to be Discouraged), "Any diversion from very small streams (less than five feet wide between toes of banks) is detrimental to fish habitat at any flows except floods. The Department will discourage any diversion from very small streams which support fish."
- ☐ Deny: This water right, if granted, would adversely impact wetlands in violation of Executive Order 90-04.
- ☐ Minimum flow: All diversions shall cease when the flow of _____ as measured at _____ is less than _____ cfs during _____ and _____ cfs during _____.
- ☐ This is based on _____.
- ☐ This water right, if issued, should be subject to existing low flow on _____. If that existing low flow is not clearly defined as to point of measurement and specific number of cfs, then please notify us so that we may recommend specifics.

S

- _____ Single domestic water rights normally do not exceed 0.02 cfs. If this water right is issued, we request that it be limited to no more than 0.02 cfs.
- X Please HOLD pending investigation to determine minimum flow needed. We will be able to provide site-specific minimum flow recommendations by 10/1/92 after field investigations are completed.
- _____ Please HOLD pending completion of IFIM study which should be conducted by applicant following Instream Flow Study Guidelines available from Department of Wildlife.
- _____ Screening criteria: Maximum approach velocity 0.40 ft/sec, 1/8 inch mesh.
- _____ Hydraulic Project Approval required.
- _____ Spring is important wildlife habitat. We request that WDOE establish conditions to minimize impact to wildlife habitat. Please call us if we can assist.
- _____ No comments.
- _____ Other:

Thank you for the opportunity to review and comment.

Sincerely,



Constance Iten
Habitat Biologist

CI:mjf

JOSEPH R. BLUM
Director



STATE OF WASHINGTON
DEPARTMENT OF FISHERIES

115 General Administration Building • Olympia, Washington 98504 • (206) 753-6600 • (SCAN) 234-6600

December 9, 1992

Washington Department of Ecology
ATTENTION: Gayle Blomstrom
LU-11
Post Office Box 47775
Olympia, Washington 98504-7775

SUBJECT: Water Right Application No. S228412, Paul Cronauer,
0.93 cfs from Cooper Creek, Tributary to the Strait of
Juan De Fuca, NW 1/4 NE 1/4 Section 6, Township 30
North, Range 3 West in Clallam County, WRIA 18.0017

Dear Ms. Blomstrom:

I have reviewed the above-referenced application and have the following comments.

Cooper Creek is a small spring-fed stream that originates a short distance above the proposed point of withdrawal (POW). Cooper Creek is inhabited by cutthroat trout; according to at least one local report coho salmon utilize this stream, but this has not been verified by the Washington Department of Fisheries (WDF). If it is determined that coho are not present in Cooper Creek, WDF will probably restock this stream and thereby attempt to reestablish a population of coho salmon. WDF will soon initiate an evaluation of Cooper Creek.

Based on several visits to the POW I feel that Cooper Creek often flows less than the proposed 0.93 cfs at this site. Approval of this application could result in frequent dewatering of Cooper Creek for an unknown distance below the POW. This could reduce or eliminate current fish use of the stream and could eliminate possible salmon restoration options. I therefore recommend denial of this application.

Thank you for the opportunity to review and comment.

Sincerely,

Randy Johnson
Regional Habitat Manager

RLJ:RLJ

In the Superior Court of the
State of Washington for
Clallam County

24 MAR 92 12:23

Affidavit of Publication

STATE OF WASHINGTON }
COUNTY OF CLALLAM } ss.

The undersigned being first duly sworn on
oath, deposes and says:

That she is authorized to and does make
this affidavit for and on behalf of Peninsula
Daily News, a corporation, and that the
following statements of fact are within her
personal and actual knowledge.

That said corporation is the owner and pub-
lisher of the Peninsula Daily News published in
Clallam County, and has been approved as a
legal newspaper by order of the Superior
Court of said Clallam County of the State of
Washington.

That the annexed is a true copy of a
advertisement for Paul Cronauer
water rights. Inv # 63922

as it was published in regular issues (and not
in supplement form) of said newspaper on

March 4, 11, 1992

and that said newspaper was regularly dis-
tributed to its subscribers during all of said
period. That the full amount of the fee charged

for the foregoing publication is \$ 35.08
at the rate of

\$ 6.13 per column inch

Subscribed and sworn to before me this

18th day of March 1992

James R. Deeter
Notary Public in and for the State of
Washington residing at Port Angeles.

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY
NOTICE OF APPLICATION
TO APPROPRIATE
PUBLIC WATERS

TAKE NOTICE:

That Paul Cronauer of Port
Angeles, Washington on Feb-
ruary 25, 1992 under Applica-
tion No. S228412 filed for
permit to appropriate public
waters, subject to existing
rights, from a unnamed Spring
Tributary Headwater of
Cooper Creek in the amount of
0.93 cubic feet per second
each year for irrigation during
irrigation season as needed
year round. The source of the
proposed appropriation is
located within NW 1/4 NE 1/4 of
Section 6, Township 30 N.,
Range 3 W. W.M. in Clallam
County.

Protests or objections to ap-
proval of this application must
include a detailed statement of
the basis for objections; pro-
tests must be accompanied by
a two dollar (\$2.00) recording
fee and filed with the Depart-
ment of Ecology, at the ad-
dress shown below, within
thirty (30) days from March
11, 1992.

DEPARTMENT OF ECOLOGY
LU-11, PO Box 47775
Olympia, WA 98504-7775
Pub.: March 4, 11, 1992.

affidavit dk sf
3/25/92

